

Our Ref: SW/LS/JM

28 March 2019

**Report 340147/4**

**Page 1 of 3**

Chieftain Fabrics  
Fair Green  
Trim  
Co. Meath  
Ireland

Contact: Dan Kinsella; Sinead Doyle

DATE RECEIVED : 21 MAR 2019  
 FABRIC SUPPLIER : CHIEFTAIN FABRICS  
 QUALITY/REFERENCE : RAVEL  
 REPUTED FIBRE CONTENT : 100% POLYESTER  
 FABRIC DESCRIPTION : WOVEN  
 COLOUR/DESIGN : WOVEN  
 END USE : UPHOLSTERY  
 ORDER NUMBER : SINEAD  
 PERFORMANCE STANDARD : BS 2543:2004 & BS EN 14465:2003 + A1:2006



**REPORT SUMMARY**

Tests	Method	Pass	Fail	Requirement
Abrasion of upholstery	BS EN 14465:2003 Annex A Abrasion Resistance	Pass		Level A suitable for Any End Use
Abrasion of upholstery	BS EN 14465:2003 Annex A Abrasion Resistance	Pass		Level A suitable for Any End Use




**S. WISEMAN**  
**LABORATORY DIRECTOR**

**L. SHERIDAN**  
**LABORATORY MANAGER**



28 March 2019

**Report 340147/4**

**Page 2 of 3**

*This report may not be reproduced except in full without the written approval of HSTTS. In all circumstances results of tests are implied as referring only to the sample supplied and should not be construed or interpreted on any other basis. The comments given in the report are for guidance only and are not a part of the results. Where specified in a test method, preconditioning in accordance with ISO 139 is not carried out as samples are exposed to the conditioning atmosphere specified within ISO 139 for a minimum of 16 hours prior to test.*



118 Lupton Avenue Leeds LS9 6ED  
Tel:0044 (0) 113 248 8830 Fax:0044 (0) 113 248 0239 EMail: [hstts@hstts.co.uk](mailto:hstts@hstts.co.uk)  
Registered No. 2899980 VAT No. 613 4310 86

**PHYSICAL**

**BS EN 14465:2003 Annex A Abrasion Resistance**

Green

12 kPa load.

Number of rubs to breakdown:
Head 1 100,000+
Head 2 100,000+
Head 3 100,000+
Head 4 100,000+

Requirement:

Level A suitable for Any

End Use

**BS EN 14465:2003 Annex A Abrasion Resistance**

Yellow

12 kPa load.

Number of rubs to breakdown:
Head 1 100,000+
Head 2 100,000+
Head 3 100,000+
Head 4 100,000+

Requirement:

Level A suitable for Any

End Use