

ISO 18184:2019 Textiles- Determination of antiviral activity of textile products


Microbiological Solutions Limited (MSL)
Gollinrod, Walmersley, Bury, BL9 5NB, UK

Angela Davies, CEO

Customer: Chieftain Fabrics
Contact name: Sinead Doyle
Email: sinead.doyle@chieftainfabrics.com
Address: Trim, Meath, C15 W248, Ireland
PO/Quote number: Q002251/1
Report Date: 26/03/2020
Issue Number: 1



Megan Barrett
Laboratory Manager



Peter Thistlethwaite
Technical Projects Manager

| Test information | | Deviation |
|--------------------------------------|---|-----------|
| Name of Product | Just colour Treated (Test), Just colour Untreated (Control) | / |
| Batch Number & Expiry Date | N/S | |
| Date of Delivery | 13/03/2020 | |
| Period of Analysis | 21/03/2020-25/03/2020 | |
| Manufacturer / Supplier | SMD Holdings Ltd | |
| Storage Conditions | Ambient | |
| Appearance of the Product | Purple material | |
| Neutralisation Method | Dilution | |
| Product Diluent | Distilled water | |
| Test Concentrations | As supplied | |
| Test Temperature | 20°C ± 1°C | |
| Temperature of Incubation | 37°C ± 1°C | |
| Identification of the Viral Strains: | Feline coronavirus, Strain Munich | |
| Contact Times | 1 hours ± 1m | |

Test Result Summary

The test product received has shown a log reduction of 0.87 (86.51%) when tested under the conditions stipulated in this report against Feline coronavirus.

The test results on this report refer only to the items tested as supplied by the customer. This report shall not be reproduced except in full and with written approval of Microbiological Solutions Ltd. All reports are archived for a minimum of 2 years.
 The sample will be retained for 1 month unless otherwise requested in writing.

| | Feline coronavirus | COVID-19 (SARS—CoV2) |
|---------|--------------------|----------------------|
| Realm | Riboviria | Riboviria |
| Order | Nidovirales | Nidovirales |
| Family | Coronaviridae | Coronaviridae |
| Genus | Alphacoronavirus | Betacoronavirus |
| Species | Alphacoronavirus 1 | COVID-19 |

The members of the family Coronaviridae are enveloped and have a positive sense RNA genome. Coronaviruses have a distinct morphology with an outer ‘corona’ of embedded envelope spikes. These viruses cause a broad spectrum of animal and human disease.

Andrew M.Q. King, Michael J. Adams, Eric B. Carstens, and Elliot J. Lefkowitz ‘Virus Taxonomy, Classification and Nomenclature of Viruses, Ninth Report of the International Committee on Taxonomy of Viruses’ 2012 ISBN 9780123846846

Scope

This standard outlines the test method for the determination of the antiviral activity of the textile products against specified viruses.

Method

A 20mmx20mm sample of test material is cut (overall mass should be 0.40g and can be made up with extra material if required). 9 control pieces are required and 6 test pieces.

3 pieces of each material are used to test the effect of the fabric on cells without virus (cytotoxicity), 3 control pieces are used to recover the starting titre of virus. The remaining pieces are inoculated with 200µl of virus at a concentration of $\sim 10^7$ TCID₅₀ (giving a final concentration of 10^5) and left for the contact time.

Following the contact time, the fabric is recovered in 20ml of cell culture media and enumerated onto an appropriate cell line. TCID₅₀ is calculated following the appropriate incubation time. Antiviral activity is calculated by comparison of the antiviral test material to the immediate recover from the control fabric.

Test Results

| Contact time:2 hours | | | | |
|----------------------|--------------|---------|-----------|------------|
| Sample | Log recovery | Average | Reduction | Percentage |
| Control 1 | 5.46 | 5.44 | 0.33 | 53.23% |
| Control 2 | 5.83 | | | |
| Control 3 | 5.04 | | | |
| Test 1 | 5.17 | 4.90 | 0.87 | 86.51% |
| Test 2 | 5.21 | | | |
| Test 3 | 4.33 | | | |

| Controls | | |
|----------------------|------|-------|
| Initial inoculum | 7.58 | Valid |
| Cytotoxicity Test | 4.33 | Valid |
| Cytotoxicity Control | 4.42 | Valid |

| 0 hours | | |
|-----------|--------------|---------|
| Sample | Log recovery | Average |
| Control 1 | 5.66 | 5.78 |
| Control 2 | 5.88 | |
| Control 3 | 5.79 | |

*Control fabric must show >1 log reduction

Raw data

| Control | | Product concentration | | | Neat | Contact time | | 0 hour | |
|----------|--------|-----------------------|---|---|------|--------------|-------|----------|----------|
| Dilution | Counts | | | | | | % CPE | p(1-p) | |
| -2 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | 0 |
| -3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | 0 |
| -4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | 0 |
| -5 | 4 | 4 | 3 | 3 | 4 | 4 | 1 | 0.791667 | 0.164931 |
| -6 | 1 | 1 | 1 | 2 | 2 | 2 | 1 | 0.333333 | 0.222222 |
| -7 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0.041667 | 0.039931 |
| -8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| Control | | Product concentration | | | Neat | Contact time | | 0 hour | |
|----------|--------|-----------------------|---|---|------|--------------|-------|----------|----------|
| Dilution | Counts | | | | | | % CPE | p(1-p) | |
| -2 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | 0 |
| -3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | 0 |
| -4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | 0 |
| -5 | 3 | 4 | 4 | 2 | 4 | 4 | 4 | 0.875 | 0.109375 |
| -6 | 3 | 3 | 1 | 1 | 1 | 1 | 1 | 0.416667 | 0.243056 |
| -7 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0.083333 | 0.076389 |
| -8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| Control | | Product concentration | | | Neat | Contact time | | 0 hour | |
|----------|--------|-----------------------|---|---|------|--------------|----------|----------|---|
| Dilution | Counts | | | | | | % CPE | p(1-p) | |
| -2 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | 0 |
| -3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | 0 |
| -4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | 0 |
| -5 | 4 | 4 | 4 | 4 | 3 | 2 | 0.875 | 0.109375 | |
| -6 | 2 | 2 | 2 | 1 | 2 | 0 | 0.375 | 0.234375 | |
| -7 | 1 | 0 | 0 | 0 | 0 | 0 | 0.041667 | 0.039931 | |
| -8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| Test | | Product concentration | | | Neat | Contact time | | 1 hour | |
|----------|--------|-----------------------|---|---|------|--------------|----------|----------|---|
| Dilution | Counts | | | | | | % CPE | p(1-p) | |
| -2 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | 0 |
| -3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | 0 |
| -4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | 0 |
| -5 | 0 | 2 | 3 | 3 | 3 | 1 | 0.5 | 0.25 | |
| -6 | 1 | 1 | 0 | 0 | 1 | 0 | 0.125 | 0.109375 | |
| -7 | 1 | 0 | 0 | 0 | 0 | 0 | 0.041667 | 0.039931 | |
| -8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| Test | | Product concentration | | | Neat | Contact time | | 1 hour | |
|----------|--------|-----------------------|---|---|------|--------------|----------|----------|---|
| Dilution | Counts | | | | | | % CPE | p(1-p) | |
| -2 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | 0 |
| -3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | 0 |
| -4 | 4 | 3 | 3 | 3 | 3 | 3 | 0.791667 | 0.164931 | |
| -5 | 0 | 3 | 2 | 2 | 4 | 4 | 0.625 | 0.234375 | |
| -6 | 2 | 0 | 0 | 0 | 3 | 0 | 0.208333 | 0.164931 | |
| -7 | 1 | 1 | 0 | 0 | 0 | 0 | 0.083333 | 0.076389 | |
| -8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Raw data

| Test | | Product concentration | | | Neat | Contact time | | 1 hour | |
|----------|--------|-----------------------|---|---|------|--------------|----------|----------|---|
| Dilution | Counts | | | | | % CPE | p(1-p) | | |
| -2 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | | 0 |
| -3 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | | 0 |
| -4 | 3 | 3 | 3 | 2 | 1 | 2 | 0.583333 | 0.243056 | |
| -5 | 1 | 0 | 0 | 2 | 2 | 1 | 0.25 | 0.1875 | |
| -6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| Control | | Product concentration | | | Neat | Contact time | | 1 hour | |
|----------|--------|-----------------------|---|---|------|--------------|----------|----------|---|
| Dilution | Counts | | | | | % CPE | p(1-p) | | |
| -2 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | | 0 |
| -3 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | | 0 |
| -4 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | | 0 |
| -5 | 4 | 3 | 3 | 3 | 3 | 2 | 0.75 | 0.1875 | |
| -6 | 2 | 2 | 1 | 0 | 0 | 0 | 0.208333 | 0.164931 | |
| -7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| Control | | Product concentration | | | Neat | Contact time | | 1 hour | |
|----------|--------|-----------------------|---|---|------|--------------|----------|----------|---|
| Dilution | Counts | | | | | % CPE | p(1-p) | | |
| -2 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | | 0 |
| -3 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | | 0 |
| -4 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | | 0 |
| -5 | 4 | 3 | 2 | 4 | 4 | 4 | 0.875 | 0.109375 | |
| -6 | 3 | 3 | 2 | 1 | 1 | 1 | 0.458333 | 0.248264 | |
| -7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| Control | | Product concentration | | | Neat | Contact time | | 1 hour | |
|----------|--------|-----------------------|---|---|------|--------------|----------|----------|---|
| Dilution | Counts | | | | | % CPE | p(1-p) | | |
| -2 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | | 0 |
| -3 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | | 0 |
| -4 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | | 0 |
| -5 | 2 | 2 | 2 | 1 | 3 | 1 | 0.458333 | 0.248264 | |
| -6 | 1 | 1 | 0 | 0 | 0 | 0 | 0.083333 | 0.076389 | |
| -7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| Cytotoxicity (Test) | | Product concentration | | | Neat | | | | |
|---------------------|--------|-----------------------|---|---|------|-------|----------|----------|---|
| Dilution | Counts | | | | | % CPE | p(1-p) | | |
| -2 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | | 0 |
| -3 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | | 0 |
| -4 | 4 | 4 | 3 | 3 | 1 | 1 | 0.666667 | 0.222222 | |
| -5 | 1 | 1 | 1 | 1 | 0 | 0 | 0.166667 | 0.138889 | |
| -6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Raw data

| Cytotoxicity (control) | | | Product concentration | | | | Neat | | |
|------------------------|--------|---|-----------------------|---|---|---|----------|----------|--|
| Dilution | Counts | | | | | | % CPE | p(1-p) | |
| -2 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | 0 | |
| -3 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | 0 | |
| -4 | 2 | 2 | 3 | 4 | 4 | 4 | 0.666667 | 0.222222 | |
| -5 | 2 | 1 | 1 | 0 | 0 | 0 | 0.208333 | 0.164931 | |
| -6 | 0 | 0 | 0 | 1 | 0 | 0 | 0.041667 | 0.039931 | |
| -7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| -8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| -9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

| Virus Initial | | | Contact time | | | N/A | | |
|---------------|--------|---|--------------|---|---|-----|----------|----------|
| Dilution | Counts | | | | | | % CPE | p(1-p) |
| -2 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | 0 |
| -3 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | 0 |
| -4 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | 0 |
| -5 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | 0 |
| -6 | 4 | 4 | 4 | 4 | 4 | 4 | 1 | 0 |
| -7 | 4 | 3 | 3 | 3 | 2 | 1 | 0.666667 | 0.222222 |
| -8 | 2 | 2 | 2 | 1 | 1 | 1 | 0.375 | 0.234375 |
| -9 | 1 | 0 | 0 | 0 | 0 | 0 | 0.041667 | 0.039931 |